

# (UPS) Unlimited Power Supply



<b>MODEL</b>		<b>C - 120</b>
<i>Capacity (Watts)</i>		1200 W
<i>Input</i>	<i>Voltage</i>	AC 220 ~ 240V
	<i>Voltage Range</i>	± 30 %
	<i>Frequency</i>	50Hz or 60Hz (auto sensing)
<i>Output</i>	<i>Voltage</i>	AC 100~120V or AC 220~240V
	<i>Voltage Range</i>	± 30 %
	<i>Frequency</i>	50Hz or 60Hz (auto sensing)
<i>Protection</i>	<i>EMI / RFI Filter</i>	Meet EN50081 – 1 or FCC Part 15 Class A
	<i>Spike, Power &amp; Lighting</i>	Fuse / Resetable circuit breaker & Current limit cut off
	<i>Surge</i>	Surge suppression meet IEEE 587 Category A Varistor clamping 480 Joules at 5ns response
	<i>Resetable circuit breaker</i>	Yes
<i>Battery</i>	<i>Type</i>	Sealed Lead Acid Battery (Maintenance free – YUASA QSB Japan)
	<i>Size / Qty.</i>	DC 12V 7.2A x 2pcs
<i>Exhaust Fan</i>		Yes
<i>Transfer Time</i>		< 2 ms
<i>Indicator</i>		AC mode, Load Level, Overload, Battery capacity, Battery Charge, Battery replace, Battery mode, UPS fault
<i>Alarm</i>		Battery bakup, battery low, fault & Overload
<i>Dimension</i>		140(w) x 172(h) x 360(d) mm
<i>Weight</i>		15.2 kg
<i>Backup Time/Duration</i>	<i>( P4 + 17” Monitor ) x 1 set</i>	50 ~ 60 minutes
	<i>( P4 + 17” Monitor ) x 2 sets</i>	23 ~ 35 minutes

\*\* Design & specification are subject to change without prior notice \*\*