



	VB – 081 (PAL)	VB – 081N (NTSC)
<b>Image Pickup Device</b>	1/3" Sony Exmor Colour Chipset	
<b>Resolution</b>	1000 TV Lines	
<b>Pixels</b>	1312(H) x 1069(V)	
<b>Lens</b>	-	
<b>Video Output</b>	1.0 Vp-p 75ohm (BNC type)	
<b>Audio Output</b>	-	
<b>Alarm Input / Output</b>	-	
<b>Iris Control</b>	A.E.S.	
<b>Shutter Mode</b>	1/50 ~ 1/100,000 sec.	
<b>S/N Ratio</b>	50 dB (min.) / 58 dB (TYP)	
<b>Gamma Characteristic</b>	0.45	
<b>Scanning System / Frequency</b>	2:1 Interlace; 15.625KHz (H) x 50Hz (V)	
<b>White Balance</b>	AWB-Pro/ AWB-Tempro/ AWB-AI/ AWB-GW/ AWB-CCT	
<b>Backlight Mode</b>	On / Off	
<b>Minimum Illumination</b>	0.1 Lux (F1.2)	
<b>Day / Night Function</b>	Auto/ Colour/ B/W / Ext	
<b>IR Sensitive</b>	Yes	
<b>DNR</b>	3D-DNR, Auto/ Manual	
<b>Image Enhance</b>	Sharpness/ Contrast/ Saturation	
<b>Image Masking</b>	4 x Area	
<b>Motion Detect</b>	8 x Area	
<b>Built Special Function</b>	Metal Body; OSD, Mirror	
<b>Image Quality</b>	-	
<b>Power Supply &amp; Consumption</b>	DC12V 500mA	
<b>Operation Temperature &amp; Humidity</b>	-20°C ~ +50°C ; RH 85% (max.)	
<b>Storage Temperature</b>	-30°C ~ +60°C ; RH 85% (max.)	
<b>Dimension (w/o bracket) (approximate)</b>	50(w) x 50(h) x 60(d) mm	
<b>Weight (w/o bracket) (approximate)</b>	200 g	

\*\* Design & specification are subject to change without prior notice \*\*